

Accessibility conformance report for

<https://www.illy.com/>

Last updated: [14/05/2026](#)

This document is intentionally drafted in a simplified form and using clear, plain language, in accordance with the principles and accessibility requirements set out in Directive (EU) 2019/882 (European Accessibility Act).

Pursuant to Article 4 and Annex I of Directive (EU) 2019/882, accessibility-related information must be provided in a manner that is perceivable, operable, understandable and robust, including through clear and comprehensible language and a non-complex structure.

Accordingly, the simplified nature of this document represents direct compliance with a legal requirement and does not replace or restrict the validity of more detailed technical or legal documentation, where applicable.

This document has been provided by [Accessiway](#) to comply with the obligations of the European Accessibility Act until the relevant National Authority provides the official template.

Every complex paragraph is introduced by an explanation in a simpler language.

Introduction

We want everyone, including people with disabilities, to use our service easily. This statement explains the steps we take to make it accessible, following laws and standards like the European Accessibility Act and WCAG.

illycaffè S.p.A. is committed to accessibility and inclusivity. We want all our customers, including people with disabilities, to be able to use our service successfully.

This document explains the accessibility features of <https://www.illy.com/>, how we meet the requirements of the European Accessibility Act , EN301549 standard, WCAG 2.2, ADA and Sec. 508, and what we are doing to maintain and improve accessibility. This statement covers only <https://www.illy.com/>.

We regularly review this informations as we enhance <https://www.illy.com/>.

Overview

Service description

B2C platform for the purchase of coffee and related products, small appliances, and accessories. Coffee products are also available via subscription.

How to Use <https://www.illy.com/> (Accessibility & Operation)

We strive to make <https://www.illy.com/> simple to use for everyone. Here's an overview of how to navigate and operate our service when using assistive technologies or special configurations:

How to use <https://www.illy.com/>

Users can browse the catalog, add products to the cart, create an account, and complete a purchase through a flow.

Accessibility of <https://www.illy.com/>

Use the standard interaction methods with the operating system and assistive technologies.

Our service accessibility might be customized and enhanced by activating the correct options of our accessibility widget the moment you land on each screen. The widget can be reached via keyboard at the beginning of the page or if visible in overlay, in a fixed position close to a corner of the window, and has a “universal access” like icon:

- Usage without vision: three tabs (or turn on Screen reader compatibility).
- Usage with limited vision: use zoom, contrast and font manipulation functions.
- Usage without perception of colour: use highlighting functions (headers, links, clickables).
- Usage with limited manipulation or strength: simply navigate with a keyboard emulator device or activate keyboard functionality.
- Minimize photosensitive seizure triggers: use turn off animations and specific colour combinations.

If correctly activating any of the functionalities might compromise the compatibility with your configuration or assistive technology, please contact us, and in the meantime, disable the widget by the appropriate button, to prevent misuse of our service.

If you need more explanation on using any part of <https://www.illy.com/>, please contact our support for personalized assistance. We aim to provide any additional description or explanation necessary for you to operate the service smoothly.

Accessibility Compliance

(How We Meet Requirements)

We have assessed <https://www.illy.com/> against the European Accessibility Act's requirements (if needed also to its local application), ADA, WCAG 2.2, Section 508 and ensured it meets them.

We commit to ensuring that <https://www.illy.com/> is:

Perceivable

- Content is presented in an order that reflects the logical and semantic structure, allowing assistive technologies to interpret it correctly.
- Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, colour, size, visual location, orientation, or sound.
- The content adapts correctly to the screen orientation, maintaining consistent display and functionality.
- Where present, the purpose of input fields that accept specific data is correctly communicated to assistive technologies and implemented in a compliant manner.
- Content is adaptable, allowing users to customise text size while maintaining a fully usable interface.

Operable

- No keyboard traps are present (it is possible to navigate freely into and out of all components).
- There is no interference with shortcut keys made up of single letters, numbers, or symbols.
- No time limits are imposed by the content or, if present, they are user-controllable, adjustable, extendable, or justified by functional or legal requirements.

- No flashing or blinking content is used at levels that could trigger seizures, remaining within safety limits.
- The screens in the service flow have titles that describe their subject or purpose.
- There are several ways to identify content within the environment.
- Elements that can receive keyboard navigation focus are always at least partially visible within the viewport.
- The features do not start immediately when touched, they can be canceled before completion, and you do not need to hold down to make them work.
- All features can be used without relying solely on the movement of the device or the user.
- All features can be used without dragging movements

Understandable

- The language of each page is properly defined and used consistently throughout the service
- All language parts of text that require it, can be determined programmatically.
- User interface components, when receiving keyboard navigation focus, do not trigger unexpected context changes that may disorient users.
- User interface components, when activated by the user via keyboard or assistive technologies, do not trigger unexpected context changes that may disorient users.
- Available navigation mechanisms are positioned consistently throughout the entire service flow
- The mechanisms for requesting support or assistance are consistent across the environment.
- When an input error is automatically detected, the erroneous element is identified and the error is described using text.
- When an input error is identified and suggestions for correction are known, those suggestions are provided to the user, unless prohibited by regulation
- We write content in clear, simple language.

Robust

- Standard development technologies that can be interpreted by assistive technologies are used

We tested <https://www.illy.com/> with the most common assistive technologies in a wide variety of OS-Browser configurations:

- Screen readers (such as NVDA and JAWS on Windows, VoiceOver on Mac and iOS) to confirm that all interactive elements are announced correctly and can be operated.
- We also test with screen magnification and high contrast modes.

We aim for compatibility with current versions of major assistive tools. Our code follows the best practices outlined in WCAG 2.2 and EN 301 549 for robust implementation, meaning it should remain accessible even as technology evolves.

Standards: based on the above, we apply WCAG 2.2 AA (latest) and EN 301 549 criteria to ensure accessibility. Meeting these standards creates a presumption of conformity with the EAA's requirements, ADA and other regulations based on the same technical standards.

Ongoing Monitoring and Maintenance

Accessibility is not a one-time effort for us – it’s an ongoing process. Here’s how we ensure illy App stays accessible over time:

- Our Accessibility coordinator that oversees accessibility for illy App and you can get in touch at this email:
 - United Kingdom: CustomerCareUK@illy.com Phone: +44(0)[1604 821234](tel:+44(0)1604821234)
 - Spain: customerCareES@illy.com Phone: +93 303 40 50
 - France: information@illy.com Phone : +01 41 43 88 88
 - Belgium: information@illy.com Phone : +32 85 60 56 02
 - Netherlands: Klantenservice@illy.com Phone: +31 78 8081135
 - Germany: customerserviceDE@illy.com Phone: 089/818944-0
 - Austria: infoaustria@illy.com Phone: 01/9328822
-
- With the support of [AccessiWay](#), we carried out an external, expert-led manual audit on 11/05/2026 to verify our accessibility compliance. We maintain a cycle of continuous testing and improvement, with recurring support in place to ensure that comprehensive audits — including manual testing by professionals using assistive technologies — are conducted at least once a year.
 - Our developers and content creators receive regular training in accessible design (for example, training on ARIA techniques, color contrast, writing descriptive link text). We keep everyone up-to-date on accessibility best practice. Last course has been done in May 2026.
 - We use automated testing tools integrated into our development process to quickly identify common accessibility issues (such as missing alt text or form labeling). Every code update goes through these checks.

Feedback and Contact Information

We welcome your feedback to make <https://www.illy.com/> better. If you face any issues or have suggestions, contact us by email, phone, or mail. Share details about the problem so we can help.

We value the input of our users, especially if something isn't working for you. If you have any difficulty accessing any part of <https://www.illy.com/>, discover an accessibility issue, or have suggestions for improvement, please let us know.

Email:

United Kingdom: CustomerCareUK@illy.com	Phone: +44(0) 1604 821234
Spain: customerCareES@illy.com	Phone: +93 303 40 50
France: information@illy.com	Phone : +01 41 43 88 88
Belgium: information@illy.com	Phone : +32 85 60 56 02
Netherlands: Klantenservice@illy.com	Phone: +31 78 8081135
Germany: customerserviceDE@illy.com	Phone: 089/818944-0
Austria: infoaustria@illy.com	Phone: 01/9328822

Phone: +39 040 972 1000

Company address: Via Flavia 110 Trieste Italia

When you contact us, please provide as many details as possible about the issue (which page or feature, what happened, and which assistive technology you are using, if applicable). We will try to acknowledge your feedback within 15 business days and will do our best to resolve the issue promptly or inform you of our progress.

Enforcement: In the event you feel we have not addressed your accessibility concerns adequately, you have the right to escalate your complaint. We sincerely hope to resolve any issue together with you before it reaches that stage, but this avenue is available.

Document History: This document was last reviewed and updated on 11/05/2026. We plan to review it at least annually, or whenever significant changes to the service occur.

EN301549 technical report

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and explanations
5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2 General	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2.1 Closed functionality	<i>See 5.2 through 13</i>	<i>See information in 5.2 through 13</i>
5.1.2.2 Assistive technology	<i>See 5.1.3 through 5.1.6</i>	<i>See information in 5.1.3 through 5.1.6</i>
5.1.3 Non-visual access	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	
5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.6.1 Closed functionality	<i>See 5.1.3.1 through 5.1.3.16</i>	<i>See information in 5.1.3.1 through 5.1.3.16</i>
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

Chapter 6: ICT with Two-Way Voice Communication

Criteria	Conformance Level	Remarks and explanations
6.1 Audio bandwidth for speech	<i>Not Applicable</i>	
6.2 Real-time text (RTT) functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.2.1.1 RTT communication	Not Applicable	
6.2.1.2 Concurrent voice and text	Not Applicable	
6.2.2.1 Visually distinguishable display		
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	
6.2.2.3 Speaker identification	Not Applicable	
6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	
6.2.3 Interoperability	Not Applicable	
6.2.4 RTT responsiveness	Not Applicable	
6.3 Caller ID	Not Applicable	
6.4 Alternatives to voice-based services	Not Applicable	
6.5 Video communication	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.1 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.2 Resolution	Not Applicable	
6.5.3 Frame rate	Not Applicable	
6.5.4 Synchronization between audio and video	Not Applicable	
6.5.5 Visual indicator of audio with video	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	
6.6 Alternatives to video-based services (advisory only)	<i>Advisory no response required</i>	<i>Advisory no response required</i>

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and explanations
7.1 Caption processing technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2 Audio description technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Chapter 8: Hardware

Criteria	Conformance Level	Remarks and explanations
8.1.1 Generic requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.1.2 Standard connections	Not Applicable	
8.1.3 Colour	Not Applicable	
8.2 Hardware products with speech output	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.2.1.1 Speech volume range	Not Applicable	
8.2.1.2 Incremental volume control	Not Applicable	
8.2.2.1 Fixed-line devices	Not Applicable	
8.2.2.2 Wireless communication devices	Not Applicable	
8.3 Stationary ICT	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.3.2.1 Unobstructed high forward reach	Not Applicable	
8.3.2.2 Unobstructed low forward reach	Not Applicable	
8.3.2.3.1 Clear space	Not Applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	
8.3.2.4 Knee and toe clearance width	Not Applicable	
8.3.2.5 Toe clearance	Not Applicable	
8.3.2.6 Knee clearance	Not Applicable	
8.3.3.1 Unobstructed high side reach	Not Applicable	
8.3.3.2 Unobstructed low side reach	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
8.3.3.3.1 Obstructed (≤ 255 mm) side reach	Not Applicable	
8.3.3.3.2 Obstructed (≤ 610 mm) side reach	Not Applicable	
8.3.4.1 Change in level	Not Applicable	
8.3.4.2 Clear floor or ground space	Not Applicable	
8.3.4.3.2 Forward approach	Not Applicable	
8.3.4.3.3 Parallel approach	Not Applicable	
8.3.5 Visibility	Not Applicable	
8.3.6 Installation instructions	Not Applicable	
8.4 Mechanically Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.4.1 Numeric keys	Not Applicable	
8.4.2.1 Means of operation of mechanical parts	Not Applicable	
8.4.2.2 Force of operation of mechanical parts	Not Applicable	
8.4.3 Keys, tickets and fare cards	Not Applicable	
8.5 Tactile indication of speech mode	Not Applicable	

Chapter 9: Web (applies also to 10, 11 and 12)

Corresponding to WCAG 2.2 Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content	Partially supports	Non-text content is presented to users without an equivalent text alternative.
1.2.1 Audio-only and Video-only (Prerecorded)	Supports	
1.2.2 Captions (Prerecorded)	Supports	
1.2.3 Audio Description or Media Alternative (Prerecorded)	Partially supports	For some pre-recorded multimedia, an alternative or audio description is not provided;
1.3.1 Info and Relationships	Partially supports	In some cases, information, structure or correlations conveyed by the presentation of pages cannot be determined programmatically (or are not available through text);
1.3.2 Meaningful Sequence	Supports	
1.3.3 Sensory Characteristics	Supports	
1.4.1 Use of Color	Partially supports	In some cases, color alone has been used to identify a purpose or distinguish an information or function;
1.4.2 Audio Control	Supports	

2.1.1 Keyboard	Partially supports	Some features cannot be activated by keyboard (or similar input interface);
2.1.2 No Keyboard Trap	Supports	
2.1.4 Character Key Shortcuts	Supports	
2.2.1 Timing Adjustable	Supports	
2.2.2 Pause, Stop, Hide	Partially supports	Some animations, flashing, sliding or self-updates of information started automatically, with a duration of more than five seconds or presented in parallel with other content, there are no mechanisms to stop or hide them;
2.3.1 Three Flashes or Below Threshold	Supports	
2.4.1 Bypass Blocks	Partially supports	There is no mechanism to skip content blocks that repeat on multiple web pages;
2.4.2 Page Titled	Supports	
2.4.3 Focus Order	Partially supports	In some web pages that can be browsed sequentially and in which the navigation sequence affects their meaning and functioning, some objects that may receive the focus do not receive it with an order that preserves the meaning and operation of it;
2.4.4 Link Purpose (In	Partially supports	The purpose of certain

Context)		links cannot be determined by the link text or by the link text together with adjacent content;
2.5.1 Pointer Gestures	Partially supports	In some functionalities, which require multi-point gestures or pathways in which these movements are essential, it is not possible to do the same with a single pointer;
2.5.2 Pointer Cancellation	Supports	
2.5.3 Label in Name	Partially supports	For some user interface components with labels that include text or text images, the name read by the a.t., does not contain the text that is visually presented;
2.5.4 Motion Actuation	Supports	
3.1.1 Language of Page	Supports	
3.2.1 On Focus	Supports	
3.2.2 On Input	Supports	
3.2.6 Consistent Help	Supports	
3.3.1 Error Identification	Supports	
3.3.2 Labels or Instructions	Partially supports	In some cases no labels or instructions are provided when the content requires input actions by the user;
3.3.7 Redundant Entry	Supports	
4.1.1 Parsing	Supports	
4.1.2 Name, Role, Value	Partially supports	In some cases, user

		interface components (including: module elements, script-generated links and components), name, role, state, property and values are incorrect or set, or the user a.t are not warned when these attributes change;
--	--	---

Corresponding to WCAG 2.2 Level AA

Criteria	Conformance level	Remarks and explanations
1.2.5 Audio Description (Prerecorded)	Partially supports	For some pre-recorded video content, no audio description is provided;
1.3.4 Orientation	Supports	
1.3.5 Identify Input Purpose	Supports	
1.4.3 Contrast (Minimum)	Partially supports	Where not allowed, visual representation of text and images containing text does not always have the minimum contrast ratio required ***;
1.4.4 Resize text	Supports	
1.4.5 Images of Text	Partially supports	In some cases text images have been used instead of text only and are neither customizable nor essential to the types of information conveyed;
1.4.10 Reflow	Partially supports	Content that does not

		require a representation in two dimensions (such as data tables or maps) does not rearrange when resizing;
1.4.11 Non-text Contrast	Partially supports	For some essential components, even in different states, the color contrast compared to adjacent elements does not exceed the ratio of 3:1;
1.4.12 Text Spacing	Partially supports	Changing the spacing of texts relating to the height of the lines, spaces between paragraphs, letters or words, there are certain losses of information or content;
1.4.13 Content on Hover or Focus	Partially supports	In some cases, when mouse pointer (hover) passing or keyboard focus make content visible and hidden, there is no mechanism available to hide additional content without moving the mouse pointer or keyboard focus, the pointer cannot be moved to additional content without disappearing or additional content remains visible until the hover or focus event is removed, the user deletes it or his information is no longer valid except for some exceptions;
2.4.5 Multiple Ways	Supports	

2.4.6 Headings and Labels	Partially supports	Headers and/or labels do not sufficiently clarify content or functionality;
2.4.7 Focus Visible	Partially supports	On some interactive elements the focus indicator is not visible;
2.4.11 Focus Not Obscured (Minimum)	Supports	
2.5.7 Dragging Movements	Supports	
2.5.8 Target Size (Minimum)	Partially supports	Certain interactive elements do not meet the minimum target size of 24 × 24 CSS pixels;
3.1.2 Language of Parts	Supports	
3.2.3 Consistent Navigation	Supports	
3.2.4 Consistent Identification	Partially supports	Some components with the same functionality within a set of Web pages are not consistent;
3.3.3 Error Suggestion	Supports	
3.3.4 Error Prevention (Legal, Financial, Data)	Supports	
3.3.8 Accessible Authentication (Minimum)	Supports	
4.1.3 Status Messages	Partially supports	In some cases state messages are not presented to the user so that a.t. interpret them without having to move the focus;

Chapter 10: Non-Web Documents

Criteria	Conformance Level	Remarks and explanations
10.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Chapter 11: Software

Criteria	Conformance Level	Remarks and explanations
11.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.1.1.1 through 11.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
11.5 Interoperability with assistive technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2 Accessibility services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	
11.5.2.5 Object information	Not Applicable	
1.5.2.6 Row, column, and headers	Not Applicable	
11.5.2.7 Values	Not Applicable	
11.5.2.8 Label relationships	Not Applicable	
11.5.2.9 Parent-child relationships	Not Applicable	
11.5.2.10 Text	Not Applicable	
11.5.2.11 List of available actions	Not Applicable	
11.5.2.12 Execution of available actions	Not Applicable	
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
11.5.2.14 Modification of focus and selection attributes	Not Applicable	
11.5.2.15 Change notification	Not Applicable	
11.5.2.16 Modifications of states and properties	Not Applicable	
11.5.2.17 Modifications of values and text	Not Applicable	
11.6 Documented accessibility usage	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.6.1 User control of accessibility features	Not Applicable	
11.6.2 No disruption of accessibility features	Not Applicable	
11.7 User preferences	Not Applicable	
11.8 Authoring tools	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.8.1 Content technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.8.2 Accessible content creation	See WCAG 2.2 section (If not authoring tool, enter “Not Applicable”)	See information in WCAG 2.2 section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	
11.8.4 Repair assistance	Not Applicable	
11.8.5 Templates	Not Applicable	

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and explanations
12.1 Product documentation	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.1.1 Accessibility and compatibility features	Not Applicable	
12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section

Chapter 13: ICT Providing Relay or Emergency Service Access

Criteria	Conformance Level	Remarks and explanations
13.1 Relay services requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
13.1.2 Text relay services	Not Applicable	
13.1.3 Sign relay services	Not Applicable	
13.1.4 Lip-reading relay services	Not Applicable	
13.1.5 Captioned telephony services	Not Applicable	
13.1.6 Speech to speech relay services	Not Applicable	
13.2 Access to relay services	Not Applicable	
13.3 Access to emergency services	Not Applicable	

Web accessibility

Disability is defined as: any activity limitation or participation restriction in society, experienced by a person as a result of a substantial, lasting or definitive alteration of one or more physical, sensory, mental, cognitive, or psychic functions, a multiple disability, or a disabling health condition.

Web accessibility consists of making online public communication services accessible to people with disabilities, and is based on four fundamental principles:

Perceivable: Information and user interface components must be presented to the user in such a way that they can perceive them. For example, providing textual equivalents for all non-textual content that can then be presented in other forms according to the user's needs: large characters, braille, speech synthesis, symbols or simplified language.

Operable: User interface and navigation components must be operable. For example, making all functionality available via keyboard.

Understandable: Information and the use of the user interface must be understandable. Textual content must be made readable and navigation must be consistent.

Robust: Content must be sufficiently robust to be reliably interpreted by a wide variety of user agents, including assistive technologies.

Test environments

Operating systems

- Apple Mac Os X (latest version)
- Microsoft Windows (latest version)
- Apple Ios (latest version)
- Google Android (latest version)

We have not used Linux as it is currently very uncommon among users with disabilities.

Browsers and user software

In the latest versions available on the different operating systems:

- Google Chrome
- Windows Edge
- Safari
- Adobe Acrobat Reader / Preview on Mac (for PDFs only)

Screen readers and assistive technologies

In order to achieve the most standard evaluation we test everything with assistive technologies default configuration.

In order to make the most realistic evaluation we also test:

- Graphic adaptations present on the different systems (colors, contrasts, subtitles, etc.)
- Mouse emulations, magnifiers and screen keyboards or keyboard improved settings always of the different systems
- Voiceover - Apple systems only
- Talkback - Android only
- NVDA (latest version) and Freedom scientific Jaws (second-to-latest version) - PC systems only

Methodology

Objective manual and semi-automatic verification methodology

We analyze content with different automatic and semiautomatic systems and compare the results between tools to obtain the most complete and objective verification. The reference standard, unless specifically requested, that we use is always the latest (WCAG 2.2) so that we can ensure compliance in all countries from which the touchpoint (site, app, etc.) can be accessed.

Our verification is therefore compliant with WCAG 2.2 level AA, and the requirements in UNI EN 301549 Guidelines or their declination in the French RGAAs. Each tool produces results that are then analyzed by our experts: it is, therefore, possible that not all tool results appear because they are judged to be false negatives.

Automated tools for syntax checking

- **W3C Markup Validation Service** : used with generated code, because it is the official tool for checking HTML, XHTML, MathHTML, etc.
- **W3C CSS Validation service** : although the correctness of the CSS does not affect accessibility, it could affect some aspects that still have an impact on it if not correctly interpreted because it is incorrect. The verification is therefore appropriate and done with W3C CSS Validation Service
- **PAC PDF checker**

Automatic and semi-automatic tools for color verification

- **Color Contrast Analyser (CCA)** : used punctually on dubious contrasts.
- **WCAG Color contrast checker** : used as the first check to verify the contrasts of the colors used in the CSS of the pages.
- **Text on background image a11y check** : used to check when text should overlap images.
- **Color contrast accessibility evaluator** : used as an additional control for some online pages.

Automatic and semi-automatic tools for checking accessibility

Some online validators used as samples on the pages:

- Accescan
- Wave

And other local tools:

- **Web developer toolbar**: Used to support manual verification. It allowed us to locate images without alt texts, fields without labels, etc.
- **AXE e Lighthouse for Chrome**: they have provided us with precise indications on the defects of the accessibility of the HTML code but also on WAI ARIA attributes, fundamental in the case of web applications and interactive components.

Terms

The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criterion.

Does Not Support: The majority of product functionality does not meet the criterion.

Not Applicable: The criterion is not relevant to the product.

Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Accessibility conformance report for

illy App Android v. 2.4.2 (119)

Last updated: 11/05/2026

This document is intentionally drafted in a simplified form and using clear, plain language, in accordance with the principles and accessibility requirements set out in Directive (EU) 2019/882 (European Accessibility Act).

Pursuant to Article 4 and Annex I of Directive (EU) 2019/882, accessibility-related information must be provided in a manner that is perceivable, operable, understandable and robust, including through clear and comprehensible language and a non-complex structure.

Accordingly, the simplified nature of this document represents direct compliance with a legal requirement and does not replace or restrict the validity of more detailed technical or legal documentation, where applicable.

This document has been provided by [Accessiway](#) to comply with the obligations of the European Accessibility Act until the relevant National Authority provides the official template.

Every complex paragraph is introduced by an explanation in a simpler language.

Introduction

We want everyone, including people with disabilities, to use our service easily. This statement explains the steps we take to make it accessible, following laws and standards like the European Accessibility Act and WCAG.

illycaffè S.p.A is committed to accessibility and inclusivity. We want all our customers, including people with disabilities, to be able to use our service successfully.

This document explains the accessibility features of illy App, how we meet the requirements of the European Accessibility Act , EN301549 standard, WCAG 2.2, ADA and Sec. 508, and what we are doing to maintain and improve accessibility. This statement covers only illy App.

We regularly review this informations as we enhance illy App.

Overview

Service description

B2C platform for the purchase of coffee and related products, small appliances, and accessories. Coffee products are also available via subscription.

How to Use illy App (Accessibility & Operation)

We strive to make illy App simple to use for everyone. Here's an overview of how to navigate and operate our service when using assistive technologies or special configurations:

How to use illy App

Users can browse the catalog, add products to the cart, create an account, and complete a purchase through a flow.

Accessibility of illy App

Use the standard interaction methods with the operating system and assistive technologies.

If you need more explanation on using any part of illy App, please consult our Help Center available at www.illy.com for guides, or contact our support for personalized assistance. We aim to provide any additional description or explanation necessary for you to operate the service smoothly.

Accessibility Compliance

(How We Meet Requirements)

We have assessed illy App against the European Accessibility Act's requirements (if needed also to its local application), ADA, WCAG 2.2, Section 508 and ensured it meets them.

We commit to ensuring that illy App is:

Perceivable

- Content is presented in an order that reflects the logical and semantic structure, allowing assistive technologies to interpret it correctly.
- Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, colour, size, visual location, orientation, or sound.
- Information is not conveyed solely through colour, or an accessible alternative such as text or symbols is provided.
- Content that does not require a two-dimensional presentation reflows correctly when the user agent's display size changes.
- Changing text spacing (such as line height, paragraph spacing, or spacing between letters or words) does not result in loss of information or content.

Operable

- No keyboard traps are present (it is possible to navigate freely into and out of all components).
- When a keyboard shortcut is implemented using only letters (uppercase and lowercase), punctuation marks, numbers, or symbols, there is no mechanism available to deactivate the shortcut and/or there is no mechanism available to remap the shortcut to use one or more non-printable keyboard characters (e.g., Ctrl, Alt, etc.), and/or the keyboard shortcut for a user interface component is not active;
- All moving content, if present, includes controls for pausing and/or playback management.
- No flashing or blinking content is used at levels that could trigger seizures, remaining within safety limits.
- Links' purpose can be determined by the link text itself or at least by the link text in the context of its adjacent contents.

- Elements that can receive keyboard navigation focus are always at least partially visible within the viewport.
- In some functionalities, which require multi-point gestures or pathways in which these movements are essential, it is not possible to do the same with a single pointer;
- In some functionalities that are done using a single pointer does not even occur: no event occurs at the down-event, an action can be stopped before completing it for example on up-event, the up-event inverts the action performed, it is essential to down-event to complete the function;
- For user interface components with labels that include text or text images, the name read by assistive technologies includes the visually presented text.
- The target size of interactive elements is sufficiently large to ensure easy interaction for users.

Understandable

- The language of each page is properly defined and used consistently throughout the service
- User interface components, when receiving keyboard navigation focus, do not trigger unexpected context changes that may disorient users.
- When an input error is automatically detected, the erroneous element is identified and the error is described using text.
- When an input error is identified and suggestions for correction are known, those suggestions are provided to the user, unless prohibited by regulation
- We write content in clear, simple language.

Robust

- Standard development technologies that can be interpreted by assistive technologies are used

We tested illy App with the most common assistive technologies in a wide variety of OS-Browser configurations:

- Screen readers (such as NVDA and JAWS on Windows, VoiceOver on Mac and iOS) to confirm that all interactive elements are announced correctly and can be operated.
- We also test with screen magnification and high contrast modes.

We aim for compatibility with current versions of major assistive tools. Our code follows the best practices outlined in WCAG 2.2 and EN 301 549 for robust implementation, meaning it should remain accessible even as technology evolves.

Standards: based on the above, we apply WCAG 2.2 AA (latest) and EN 301 549 criteria to ensure accessibility. Meeting these standards creates a presumption of conformity with the EAA's requirements, ADA and other regulations based on the same technical standards.

Ongoing Monitoring and Maintenance

Accessibility is not a one-time effort for us – it’s an ongoing process. Here’s how we ensure illy App stays accessible over time:

- Our Accessibility coordinator that oversees accessibility for illy App and you can get in touch at this email:
 - United Kingdom: CustomerCareUK@illy.com Phone: +44(0)[1604 821234](tel:+44(0)1604821234)
 - Spain: customerCareES@illy.com Phone: +93 303 40 50
 - France: information@illy.com Phone : +01 41 43 88 88
 - Belgium: information@illy.com Phone : +32 85 60 56 02
 - Netherlands: Klantenservice@illy.com Phone: +31 78 8081135
 - Germany: customerserviceDE@illy.com Phone: 089/818944-0
 - Austria: infoaustria@illy.com Phone: 01/9328822
-
- With the support of [AccessiWay](#), we carried out an external, expert-led manual audit on 11/05/2026 to verify our accessibility compliance. We maintain a cycle of continuous testing and improvement, with recurring support in place to ensure that comprehensive audits — including manual testing by professionals using assistive technologies — are conducted at least once a year.
 - Our developers and content creators receive regular training in accessible design (for example, training on ARIA techniques, color contrast, writing descriptive link text). We keep everyone up-to-date on accessibility best practice. Last course has been done in May 2026.
 - We use automated testing tools integrated into our development process to quickly identify common accessibility issues (such as missing alt text or form labeling). Every code update goes through these checks.

Feedback and Contact Information

We welcome your feedback to make illy App better. If you face any issues or have suggestions, contact us by email, phone, or mail. Share details about the problem so we can help.

We value the input of our users, especially if something isn't working for you. If you have any difficulty accessing any part of illy App, discover an accessibility issue, or have suggestions for improvement, please let us know.

Email:

United Kingdom: CustomerCareUK@illy.com	Phone: +44(0) 1604 821234
Spain: customerCareES@illy.com	Phone: +93 303 40 50
France: information@illy.com	Phone : +01 41 43 88 88
Belgium: information@illy.com	Phone : +32 85 60 56 02
Netherlands: Klantenservice@illy.com	Phone: +31 78 8081135
Germany: customerserviceDE@illy.com	Phone: 089/818944-0
Austria: infoaustria@illy.com	Phone: 01/9328822

Phone: +39 040 972 1000

Company address: Via Flavia 110 Trieste Italia

When you contact us, please provide as many details as possible about the issue (which page or feature, what happened, and which assistive technology you are using, if applicable). We will try to acknowledge your feedback within 15 business days and will do our best to resolve the issue promptly or inform you of our progress.

Enforcement: In the event you feel we have not addressed your accessibility concerns adequately, you have the right to escalate your complaint. We sincerely hope to resolve any issue together with you before it reaches that stage, but this avenue is available.

Document History: This document was last reviewed and updated on 11/05/2026. We plan to review it at least annually, or whenever significant changes to the service occur.

EN301549 technical report

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and explanations
5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2 General	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	
5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16

Criteria	Conformance Level	Remarks and explanations
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

Chapter 6: ICT with Two-Way Voice Communication

Criteria	Conformance Level	Remarks and explanations
6.1 Audio bandwidth for speech	<i>Not Applicable</i>	
6.2 Real-time text (RTT) functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.2.1.1 RTT communication	Not Applicable	
6.2.1.2 Concurrent voice and text	Not Applicable	
6.2.2.1 Visually distinguishable display		
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	
6.2.2.3 Speaker identification	Not Applicable	
6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	
6.2.3 Interoperability	Not Applicable	
6.2.4 RTT responsiveness	Not Applicable	
6.3 Caller ID	Not Applicable	
6.4 Alternatives to voice-based services	Not Applicable	
6.5 Video communication	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.1 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.2 Resolution	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
6.5.3 Frame rate	Not Applicable	
6.5.4 Synchronization between audio and video	Not Applicable	
6.5.5 Visual indicator of audio with video	Not Applicable	
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	
6.6 Alternatives to video-based services (advisory only)	<i>Advisory no response required</i>	<i>Advisory no response required</i>

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and explanations
7.1 Caption processing technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2 Audio description technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Chapter 8: Hardware

Criteria	Conformance Level	Remarks and explanations
8.1.1 Generic requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.1.2 Standard connections	Not Applicable	
8.1.3 Colour	Not Applicable	
8.2 Hardware products with speech output	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.2.1.1 Speech volume range	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
8.2.1.2 Incremental volume control	Not Applicable	
8.2.2.1 Fixed-line devices	Not Applicable	
8.2.2.2 Wireless communication devices	Not Applicable	
8.3 Stationary ICT	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.3.2.1 Unobstructed high forward reach	Not Applicable	
8.3.2.2 Unobstructed low forward reach	Not Applicable	
8.3.2.3.1 Clear space	Not Applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	
8.3.2.4 Knee and toe clearance width	Not Applicable	
8.3.2.5 Toe clearance	Not Applicable	
8.3.2.6 Knee clearance	Not Applicable	
8.3.3.1 Unobstructed high side reach	Not Applicable	
8.3.3.2 Unobstructed low side reach	Not Applicable	
8.3.3.3.1 Obstructed (\leq 255 mm) side reach	Not Applicable	
8.3.3.3.2 Obstructed (\leq 610 mm) side reach	Not Applicable	
8.3.4.1 Change in level	Not Applicable	
8.3.4.2 Clear floor or ground space	Not Applicable	
8.3.4.3.2 Forward approach	Not Applicable	
8.3.4.3.3 Parallel approach	Not Applicable	
8.3.5 Visibility	Not Applicable	
8.3.6 Installation instructions	Not Applicable	
8.4 Mechanically Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.4.1 Numeric keys	Not Applicable	
8.4.2.1 Means of operation of mechanical parts	Not Applicable	
8.4.2.2 Force of operation of mechanical parts	Not Applicable	
8.4.3 Keys, tickets and fare cards	Not Applicable	
8.5 Tactile indication of speech mode	Not Applicable	

Chapter 9: Web (applies also to 10, 11 and 12)

Corresponding to WCAG 2.2 Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content	Partially supports	Some non-textual content presented to you do not have an equivalent textual alternative that serves the same purpose;
1.2.1 Audio-only and Video-only (Prerecorded)	Supports	
1.2.2 Captions (Prerecorded)	Supports	
1.2.3 Audio Description or Media Alternative (Prerecorded)	Supports	
1.3.1 Info and Relationships	Partially supports	In some cases, information, structure or correlations conveyed by the presentation of pages cannot be determined programmatically (or are not available through text);
1.3.2 Meaningful Sequence	Supports	
1.3.3 Sensory Characteristics	Supports	
1.4.1 Use of Color	Supports	
1.4.2 Audio Control	Supports	
2.1.1 Keyboard	Partially supports	Some features cannot be activated by keyboard (or similar input interface);
2.1.2 No Keyboard Trap	Supports	
2.1.4 Character Key Shortcuts	Supports	
2.2.1 Timing Adjustable	Partially supports	There is an element or timed event in which it is not possible even one of the following things:

		deactivating time limit before reaching it, adjusting its limit, cannot extend up to 10 times, the user is not warned before the expiry of the time (except in conditions allowed by law);
2.2.2 Pause, Stop, Hide	Supports	
2.3.1 Three Flashes or Below Threshold	Supports	
2.4.1 Bypass Blocks	Supports	
2.4.2 Page Titled	Supports	
2.4.3 Focus Order	Partially supports	In some sections that can be browsed sequentially and in which the navigation sequence affects their meaning and functioning, some objects that may receive the focus do not receive it with an order that preserves the meaning and operation of it;
2.4.4 Link Purpose (In Context)	Supports	
2.5.1 Pointer Gestures	Supports	
2.5.2 Pointer Cancellation	Supports	
2.5.3 Label in Name	Supports	
2.5.4 Motion Actuation	Supports	
3.1.1 Language of Page	Supports	
3.2.1 On Focus	Supports	
3.2.2 On Input	Partially supports	When the user changes the setting of any interface component (input), a context change occurs;
3.2.6 Consistent Help	Supports	
3.3.1 Error Identification	Supports	
3.3.2 Labels or Instructions	Partially supports	In some cases no labels or instructions are provided when the content requires input actions by the user;

3.3.7 Redundant Entry	Supports	
4.1.1 Parsing	Supports	
4.1.2 Name, Role, Value	Partially supports	In some cases, user interface components (including: module elements, script-generated links and components), name, role, state, property and values are incorrect or set, or the user a.t are not warned when these attributes change;

Corresponding to WCAG 2.2 Level AA

Criteria	Conformance level	Remarks and explanations
1.2.5 Audio Description (Prerecorded)	Supports	
1.3.4 Orientation	Partially supports	Content does not adapt depending on the orientation of the screen;
1.3.5 Identify Input Purpose	Supports	
1.4.3 Contrast (Minimum)	Partially supports	Where not allowed, visual representation of text and images containing text does not always have the minimum contrast ratio required
1.4.4 Resize text	Partially supports	Some texts, except for subtitles and images containing text, cannot be resized up to 200 percent without using assistive technologies and without losing content and functionality;
1.4.5 Images of Text	Supports	

1.4.10 Reflow	Supports	
1.4.11 Non-text Contrast	Partially supports	For some essential components, even in different states, the color contrast compared to adjacent elements does not exceed the ratio of 3:1;
1.4.12 Text Spacing	Supports	
1.4.13 Content on Hover or Focus	Supports	
2.4.5 Multiple Ways	Supports	
2.4.6 Headings and Labels	Partially supports	Headers and/or labels do not sufficiently clarify content or functionality;
2.4.7 Focus Visible	Partially supports	On some interactive elements the focus indicator is not visible;
2.4.11 Focus Not Obscured (Minimum)	Supports	
2.5.7 Dragging Movements	Supports	
2.5.8 Target Size (Minimum)	Supports	
3.1.2 Language of Parts	Supports	
3.2.3 Consistent Navigation	Supports	
3.2.4 Consistent Identification	Supports	
3.3.3 Error Suggestion	Supports	
3.3.4 Error Prevention (Legal, Financial, Data)	Supports	
3.3.8 Accessible Authentication (Minimum)	Supports	
4.1.3 Status Messages	Partially supports	In some cases state messages are not presented to the user so that a.t. interpret them without having to move the focus;

Chapter 10: Non-Web Documents

Criteria	Conformance Level	Remarks and explanations
10.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Chapter 11: Software

Criteria	Conformance Level	Remarks and explanations
11.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.1.1.1 through 11.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
11.5 Interoperability with assistive technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2 Accessibility services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	
11.5.2.5 Object information	Not Applicable	
11.5.2.6 Row, column, and headers	Not Applicable	
11.5.2.7 Values	Not Applicable	
11.5.2.8 Label relationships	Not Applicable	
11.5.2.9 Parent-child relationships	Not Applicable	
11.5.2.10 Text	Not Applicable	
11.5.2.11 List of available actions	Not Applicable	
11.5.2.12 Execution of available actions	Not Applicable	
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	
11.5.2.14 Modification of focus and selection attributes	Not Applicable	
11.5.2.15 Change notification	Not Applicable	
11.5.2.16 Modifications of states and properties	Not Applicable	
11.5.2.17 Modifications of values and text	Not Applicable	
11.6 Documented accessibility usage	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.6.1 User control of accessibility features	Not Applicable	
11.6.2 No disruption of accessibility features	Not Applicable	
11.7 User preferences	Not Applicable	
11.8 Authoring tools	<i>Heading cell no</i>	<i>Heading cell no response</i>

Criteria	Conformance Level	Remarks and explanations
	<i>response required</i>	<i>required</i>
11.8.1 Content technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.8.2 Accessible content creation	See WCAG 2.2 section (If not authoring tool, enter “Not Applicable”)	See information in WCAG 2.2 section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	
11.8.4 Repair assistance	Not Applicable	
11.8.5 Templates	Not Applicable	

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and explanations
12.1 Product documentation	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.1.1 Accessibility and compatibility features	Not Applicable	
12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section

Chapter 13: ICT Providing Relay or Emergency Service Access

Criteria	Conformance Level	Remarks and explanations
13.1 Relay services requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
13.1.2 Text relay services	Not Applicable	
13.1.3 Sign relay services	Not Applicable	
13.1.4 Lip-reading relay services	Not Applicable	
13.1.5 Captioned telephony services	Not Applicable	
13.1.6 Speech to speech relay services	Not Applicable	
13.2 Access to relay services	Not Applicable	
13.3 Access to emergency services	Not Applicable	

Web accessibility

Disability is defined as: any activity limitation or participation restriction in society, experienced by a person as a result of a substantial, lasting or definitive alteration of one or more physical, sensory, mental, cognitive, or psychic functions, a multiple disability, or a disabling health condition.

Web accessibility consists of making online public communication services accessible to people with disabilities, and is based on four fundamental principles:

Perceivable: Information and user interface components must be presented to the user in such a way that they can perceive them. For example, providing textual equivalents for all non-textual content that can then be presented in other forms according to the user's needs: large characters, braille, speech synthesis, symbols or simplified language.

Operable: User interface and navigation components must be operable. For example, making all functionality available via keyboard.

Understandable: Information and the use of the user interface must be understandable. Textual content must be made readable and navigation must be consistent.

Robust: Content must be sufficiently robust to be reliably interpreted by a wide variety of user agents, including assistive technologies.

Test environments

Operating systems

- Apple iOS (latest version)
- Google Android (latest version)

We have not used Linux as it is currently very uncommon among users with disabilities.

Browsers and user software

In the latest versions available on the different operating systems:

- Google Chrome

- Windows Edge
- Safari
- Adobe Acrobat Reader / Preview on Mac (for PDFs only)

Screen readers and assistive technologies

In order to achieve the most standard evaluation we test everything with assistive technologies default configuration.

In order to make the most realistic evaluation we also test:

- Graphic adaptations present on the different systems (colors, contrasts, subtitles, etc.)
- Mouse emulations, magnifiers and screen keyboards or keyboard improved settings always of the different systems
- Voiceover - Apple systems only
- Talkback - Android only
- NVDA (latest version) and Freedom scientific Jaws (second-to-latest version) - PC systems only

Methodology

Objective manual and semi-automatic verification methodology

We analyze content with different automatic and semiautomatic systems and compare the results between tools to obtain the most complete and objective verification. The reference standard, unless specifically requested, that we use is always the latest (WCAG 2.2) so that we can ensure compliance in all countries from which the touchpoint (site, app, etc.) can be accessed.

Our verification is therefore compliant with WCAG 2.2 level AA, and the requirements in UNI EN 301549 Guidelines or their declination in the French RGAAs. Each tool produces results that are then analyzed by our experts: it is, therefore, possible that not all tool results appear because they are judged to be false negatives.

Automated tools for syntax checking

- **W3C Markup Validation Service** : used with generated code, because it is the official tool for checking HTML, XHTML, MathHTML, etc.
- **W3C CSS Validation service** : although the correctness of the CSS does not affect accessibility, it could affect some aspects that still have an impact on it if not correctly interpreted because it is incorrect. The verification is therefore appropriate and done with W3C CSS Validation Service
- **PAC PDF checker**

Automatic and semi-automatic tools for color verification

- **Color Contrast Analyser (CCA)** : used punctually on dubious contrasts.
- **WCAG Color contrast checker** : used as the first check to verify the contrasts of the colors used in the CSS of the pages.
- **Text on background image a11y check** : used to check when text should overlap images.
- **Color contrast accessibility evaluator** : used as an additional control for some online pages.

Automatic and semi-automatic tools for checking accessibility

Some online validators used as samples on the pages:

- Accescan
- Wave

And other local tools:

- **Web developer toolbar**: Used to support manual verification. It allowed us to locate images without alt texts, fields without labels, etc.
- **AXE e Lighthouse for Chrome**: they have provided us with precise indications on the defects of the accessibility of the HTML code but also on WAI ARIA attributes, fundamental in the case of web applications and interactive components.

Terms

The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criterion.

Does Not Support: The majority of product functionality does not meet the criterion.

Not Applicable: The criterion is not relevant to the product.

Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Accessibility conformance report for

illy App
iOS 2.4.2 (119)

Last updated: 14/05/2026

This document is intentionally drafted in a simplified form and using clear, plain language, in accordance with the principles and accessibility requirements set out in Directive (EU) 2019/882 (European Accessibility Act).

Pursuant to Article 4 and Annex I of Directive (EU) 2019/882, accessibility-related information must be provided in a manner that is perceivable, operable, understandable and robust, including through clear and comprehensible language and a non-complex structure.

Accordingly, the simplified nature of this document represents direct compliance with a legal requirement and does not replace or restrict the validity of more detailed technical or legal documentation, where applicable.

This document has been provided by [Accessiway](#) to comply with the obligations of the European Accessibility Act until the relevant National Authority provides the official template.

Every complex paragraph is introduced by an explanation in a simpler language.

Introduction

We want everyone, including people with disabilities, to use our service easily. This statement explains the steps we take to make it accessible, following laws and standards like the European Accessibility Act and WCAG.

illycaffè S.p.A is committed to accessibility and inclusivity. We want all our customers, including people with disabilities, to be able to use our service successfully.

This document explains the accessibility features of illy App, how we meet the requirements of the European Accessibility Act , EN301549 standard, WCAG 2.2, ADA and Sec. 508, and what we are doing to maintain and improve accessibility. This statement covers only illy App.

We regularly review this informations as we enhance illy App.

Overview

Service description

B2C platform for the purchase of coffee and related products, small appliances, and accessories. Coffee products are also available via subscription.

How to Use illy App (Accessibility & Operation)

We strive to make illy App simple to use for everyone. Here's an overview of how to navigate and operate our service when using assistive technologies or special configurations:

How to use illy App

Users can browse the catalog, add products to the cart, create an account, and complete a purchase through a flow.

Accessibility of illy App

Use the standard interaction methods with the operating system and assistive technologies.

If you need more explanation on using any part of illy App, please consult our Help Center available at www.illy.com for guides, or contact our support for personalized assistance. We aim to provide any additional description or explanation necessary for you to operate the service smoothly.

Accessibility Compliance

(How We Meet Requirements)

We have assessed illy App against the European Accessibility Act's requirements (if needed also to its local application), ADA, WCAG 2.2, Section 508 and ensured it meets them.

We commit to ensuring that illy App is:

Perceivable

- Content is presented in an order that reflects the logical and semantic structure, allowing assistive technologies to interpret it correctly.
- Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, colour, size, visual location, orientation, or sound.
- Information is not conveyed solely through colour, or an accessible alternative such as text or symbols is provided.
- Content that does not require a two-dimensional presentation reflows correctly when the user agent's display size changes.
- Changing text spacing (such as line height, paragraph spacing, or spacing between letters or words) does not result in loss of information or content.

Operable

- When a keyboard shortcut is implemented using only letters (uppercase and lowercase), punctuation marks, numbers, or symbols, there is no mechanism available to deactivate the shortcut and/or there is no mechanism available to remap the shortcut to use one or more non-printable keyboard characters (e.g., Ctrl, Alt, etc.), and/or the keyboard shortcut for a user interface component is not active;
- All moving content, if present, includes controls for pausing and/or playback management.
- No flashing or blinking content is used at levels that could trigger seizures, remaining within safety limits.
- Links' purpose can be determined by the link text itself or at least by the link text in the context of its adjacent contents.
- The keyboard navigation focus indicator is visible on all interactive elements.
- Elements that can receive keyboard navigation focus are always at least partially

visible within the viewport.

- In some functionalities, which require multi-point gestures or pathways in which these movements are essential, it is not possible to do the same with a single pointer;
- In some functionalities that are done using a single pointer does not even occur: no event occurs at the down-event, an action can be stopped before completing it for example on up-event, the up-event inverts the action performed, it is essential to down-event to complete the function;
- For user interface components with labels that include text or text images, the name read by assistive technologies includes the visually presented text.
- The target size of interactive elements is sufficiently large to ensure easy interaction for users.

Understandable

- The language of each page is properly defined and used consistently throughout the service
- User interface components, when receiving keyboard navigation focus, do not trigger unexpected context changes that may disorient users.
- When an input error is automatically detected, the erroneous element is identified and the error is described using text.
- When an input error is identified and suggestions for correction are known, those suggestions are provided to the user, unless prohibited by regulation
- We write content in clear, simple language.

Robust

- Standard development technologies that can be interpreted by assistive technologies are used

We tested illy App with the most common assistive technologies in a wide variety of OS-Browser configurations:

- Screen readers (such as NVDA and JAWS on Windows, VoiceOver on Mac and iOS) to confirm that all interactive elements are announced correctly and can be operated.
- We also test with screen magnification and high contrast modes.

We aim for compatibility with current versions of major assistive tools. Our code follows the best practices outlined in WCAG 2.2 and EN 301 549 for robust implementation, meaning it should remain accessible even as technology evolves.

Standards: based on the above, we apply WCAG 2.2 AA (latest) and EN 301 549 criteria to ensure accessibility. Meeting these standards creates a presumption of conformity with the EAA's requirements, ADA and other regulations based on the same technical standards.

Ongoing Monitoring and Maintenance

Accessibility is not a one-time effort for us – it’s an ongoing process. Here’s how we ensure illy App stays accessible over time:

- Our Accessibility coordinator that oversees accessibility for illy App and you can get in touch at this email:

United Kingdom: CustomerCareUK@illy.com

Spain: customerCareES@illy.com

France: information@illy.com

Belgium: information@illy.com

Netherlands: Klantenservice@illy.com

Germany: customerserviceDE@illy.com

Austria: infoaustria@illy.com

- With the support of [AccessiWay](#), we carried out an external, expert-led manual audit on 11/05/2026 to verify our accessibility compliance. We maintain a cycle of continuous testing and improvement, with recurring support in place to ensure that comprehensive audits — including manual testing by professionals using assistive technologies — are conducted at least once a year.
- Our developers and content creators receive regular training in accessible design (for example, training on ARIA techniques, color contrast, writing descriptive link text). We keep everyone up-to-date on accessibility best practice. Last course has been done in May 2026
- We use automated testing tools integrated into our development process to quickly identify common accessibility issues (such as missing alt text or form labeling). Every code update goes through these checks.

Feedback and Contact Information

We welcome your feedback to make illy App better. If you face any issues or have suggestions, contact us by email, phone, or mail. Share details about the problem so we can help.

We value the input of our users, especially if something isn't working for you. If you have any difficulty accessing any part of illy App , discover an accessibility issue, or have suggestions for improvement, please let us know.

Email:

United Kingdom: CustomerCareUK@illy.com	Phone: +44(0) 1604 821234
Spain: customerCareES@illy.com	Phone: +93 303 40 50
France: information@illy.com	Phone : +01 41 43 88 88
Belgium: information@illy.com	Phone : +32 85 60 56 02
Netherlands: Klantenservice@illy.com	Phone: +31 78 8081135
Germany: customerserviceDE@illy.com	Phone: 089/818944-0
Austria: infoaustria@illy.com	Phone: 01/9328822

Company address: Via Flavia 110 Trieste Italia

When you contact us, please provide as many details as possible about the issue (which page or feature, what happened, and which assistive technology you are using, if applicable). We will try to acknowledge your feedback within 15 business days and will do our best to resolve the issue promptly or inform you of our progress.

Enforcement: In the event you feel we have not addressed your accessibility concerns adequately, you have the right to escalate your complaint. We sincerely hope to resolve any issue together with you before it reaches that stage, but this avenue is available.

Document History: This document was last reviewed and updated on 11/05/2026. We plan to review it at least annually, or whenever significant changes to the service occur.

EN301549 technical report

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and explanations
5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2 General	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.3.1 Audio output of visual information	Not Applicable	
5.1.3.2 Auditory output delivery including speech	Not Applicable	
5.1.3.3 Auditory output correlation	Not Applicable	
5.1.3.4 Speech output user control	Not Applicable	
5.1.3.5 Speech output automatic interruption	Not Applicable	
5.1.3.6 Speech output for non-text content	Not Applicable	
5.1.3.7 Speech output for video information	Not Applicable	
5.1.3.8 Masked entry	Not Applicable	
5.1.3.9 Private access to personal data	Not Applicable	
5.1.3.10 Non-interfering audio output	Not Applicable	
5.1.3.11 Private listening volume	Not Applicable	
5.1.3.12 Speaker volume	Not Applicable	
5.1.3.13 Volume reset	Not Applicable	
5.1.3.14 Spoken languages	Not Applicable	
5.1.3.15 Non-visual error identification	Not Applicable	
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	
5.1.4 Functionality closed to text enlargement	Not Applicable	
5.1.5 Visual output for auditory information	Not Applicable	
5.1.6 Operation without keyboard interface	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16

Criteria	Conformance Level	Remarks and explanations
5.1.6.2 Input focus	Not Applicable	
5.1.7 Access without speech	Not Applicable	
5.2 Activation of accessibility features	Not Applicable	
5.3 Biometrics	Not Applicable	
5.4 Preservation of accessibility information during conversion	Not Applicable	
5.5 Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.5.1 Means of operation	Not Applicable	
5.5.2 Operable parts discernibility	Not Applicable	
5.6 Locking or toggle controls	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
5.6.1 Tactile or auditory status	Not Applicable	
5.6.2 Visual status	Not Applicable	
5.7 Key repeat	Not Applicable	
5.8 Double-strike key acceptance	Not Applicable	
5.9 Simultaneous user actions	Not Applicable	

Chapter 6: ICT with Two-Way Voice Communication

Criteria	Conformance Level	Remarks and explanations
6.1 Audio bandwidth for speech	<i>Not Applicable</i>	
6.2 Real-time text (RTT) functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.2.1.1 RTT communication	Not Applicable	
6.2.1.2 Concurrent voice and text	Not Applicable	
6.2.2.1 Visually distinguishable display		
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	
6.2.2.3 Speaker identification	Not Applicable	
6.2.2.4 Visual indicator of Audio with RTT	Not Applicable	
6.2.3 Interoperability	Not Applicable	
6.2.4 RTT responsiveness	Not Applicable	
6.3 Caller ID	Not Applicable	
6.4 Alternatives to voice-based services	Not Applicable	
6.5 Video communication	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.1 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
6.5.2 Resolution	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
6.5.3 Frame rate	Not Applicable	
6.5.4 Synchronization between audio and video	Not Applicable	
6.5.5 Visual indicator of audio with video	Not Applicable	
6.5.6 Speaker identification with video (sign language) communication	Not Applicable	
6.6 Alternatives to video-based services (advisory only)	<i>Advisory no response required</i>	<i>Advisory no response required</i>

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and explanations
7.1 Caption processing technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2 Audio description technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Chapter 8: Hardware

Criteria	Conformance Level	Remarks and explanations
8.1.1 Generic requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.1.2 Standard connections	Not Applicable	
8.1.3 Colour	Not Applicable	
8.2 Hardware products with speech output	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.2.1.1 Speech volume range	Not Applicable	
8.2.1.2 Incremental volume control	Not Applicable	
8.2.2.1 Fixed-line devices	Not Applicable	
8.2.2.2 Wireless communication devices	Not Applicable	
8.3 Stationary ICT	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.3.2.1 Unobstructed high forward reach	Not Applicable	
8.3.2.2 Unobstructed low forward reach	Not Applicable	
8.3.2.3.1 Clear space	Not Applicable	
8.3.2.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	
8.3.2.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	
8.3.2.4 Knee and toe clearance width	Not Applicable	
8.3.2.5 Toe clearance	Not Applicable	
8.3.2.6 Knee clearance	Not Applicable	
8.3.3.1 Unobstructed high side reach	Not Applicable	
8.3.3.2 Unobstructed low side reach	Not Applicable	
8.3.3.3.1 Obstructed (≤ 255 mm) side reach	Not Applicable	
8.3.3.3.2 Obstructed (≤ 610 mm) side reach	Not Applicable	
8.3.4.1 Change in level	Not Applicable	
8.3.4.2 Clear floor or ground space	Not Applicable	
8.3.4.3.2 Forward approach	Not Applicable	
8.3.4.3.3 Parallel approach	Not Applicable	
8.3.5 Visibility	Not Applicable	
8.3.6 Installation instructions	Not Applicable	
8.4 Mechanically Operable parts	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
8.4.1 Numeric keys	Not Applicable	
8.4.2.1 Means of operation of mechanical parts	Not Applicable	
8.4.2.2 Force of operation of mechanical	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
parts		
8.4.3 Keys, tickets and fare cards	Not Applicable	
8.5 Tactile indication of speech mode	Not Applicable	

Chapter 9: Web (applies also to 10, 11 and 12)

Corresponding to WCAG 2.2 Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content	Partially supports	Some non-textual content presented to you do not have an equivalent textual alternative that serves the same purpose;
1.2.1 Audio-only and Video-only (Prerecorded)	Supports	
1.2.2 Captions (Prerecorded)	Supports	
1.2.3 Audio Description or Media Alternative (Prerecorded)	Supports	
1.3.1 Info and Relationships	Partially supports	In some cases, information, structure or correlations conveyed by the presentation of pages cannot be determined programmatically (or are not available through text);
1.3.2 Meaningful Sequence	Supports	
1.3.3 Sensory Characteristics	Supports	
1.4.1 Use of Color	Supports	
1.4.2 Audio Control	Supports	
2.1.1 Keyboard	Partially supports	Some features cannot be activated by keyboard (or similar input interface);
2.1.2 No Keyboard Trap	Partially supports	In some cases when the focus is moved to a page component, it cannot be removed from it using only the keyboard (or using normal arrow keys or tabs or other standard output

		methods, or if in an alternative way, the user is not informed);
2.1.4 Character Key Shortcuts	Supports	
2.2.1 Timing Adjustable	Partially supports	There is an element or timed event in which it is not possible even one of the following things: deactivating time limit before reaching it, adjusting its limit, cannot extend up to 10 times, the user is not warned before the expiry of the time (except in conditions allowed by law);
2.2.2 Pause, Stop, Hide	Supports	
2.3.1 Three Flashes or Below Threshold	Supports	
2.4.1 Bypass Blocks	Supports	
2.4.2 Page Titled	Supports	
2.4.3 Focus Order	Partially supports	In some sections that can be browsed sequentially and in which the navigation sequence affects their meaning and functioning, some objects that may receive the focus do not receive it with an order that preserves the meaning and operation of it;
2.4.4 Link Purpose (In Context)	Supports	
2.5.1 Pointer Gestures	Supports	
2.5.2 Pointer Cancellation	Supports	
2.5.3 Label in Name	Supports	
2.5.4 Motion Actuation	Supports	
3.1.1 Language of Page	Supports	
3.2.1 On Focus	Supports	
3.2.2 On Input	Partially supports	When the user changes the setting of any interface

		component (input), a context change occurs;
3.2.6 Consistent Help	Supports	
3.3.1 Error Identification	Supports	
3.3.2 Labels or Instructions	Partially supports	In some cases no labels or instructions are provided when the content requires input actions by the user;
3.3.7 Redundant Entry	Supports	
4.1.1 Parsing	Supports	
4.1.2 Name, Role, Value	Partially supports	In some cases, user interface components (including: module elements, script-generated links and components), name, role, state, property and values are incorrect or set, or the user a.t are not warned when these attributes change;

Corresponding to WCAG 2.2 Level AA

Criteria	Conformance level	Remarks and explanations
1.2.5 Audio Description (Prerecorded)	Supports	
1.3.4 Orientation	Partially supports	Content does not adapt depending on the orientation of the screen;
1.3.5 Identify Input Purpose	Supports	
1.4.3 Contrast (Minimum)	Partially supports	Where not allowed, visual representation of text and images containing text does not always have the minimum contrast ratio required
1.4.4 Resize text	Partially supports	Some texts, except for

		subtitles and images containing text, cannot be resized up to 200 percent without using assistive technologies and without losing content and functionality;
1.4.5 Images of Text	Supports	
1.4.10 Reflow	Supports	
1.4.11 Non-text Contrast	Partially supports	For some essential components, even in different states, the color contrast compared to adjacent elements does not exceed the ratio of 3:1;
1.4.12 Text Spacing	Supports	
1.4.13 Content on Hover or Focus	Supports	
2.4.5 Multiple Ways	Supports	
2.4.6 Headings and Labels	Partially supports	Headers and/or labels do not sufficiently clarify content or functionality;
2.4.7 Focus Visible	Supports	
2.4.11 Focus Not Obscured (Minimum)	Supports	
2.5.7 Dragging Movements	Supports	
2.5.8 Target Size (Minimum)	Supports	
3.1.2 Language of Parts	Supports	
3.2.3 Consistent Navigation	Supports	
3.2.4 Consistent Identification	Supports	
3.3.3 Error Suggestion	Supports	
3.3.4 Error Prevention (Legal, Financial, Data)	Supports	
3.3.8 Accessible Authentication (Minimum)	Supports	
4.1.3 Status Messages	Partially supports	In some cases state messages are not

		presented to the user so that a.t. interpret them without having to move the focus;
--	--	---

Chapter 10: Non-Web Documents

Criteria	Conformance Level	Remarks and explanations
10.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Chapter 11: Software

Criteria	Conformance Level	Remarks and explanations
11.0 General (informative)	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.1.1.1 through 11.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
11.5 Interoperability with assistive technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.1 Closed functionality	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2 Accessibility services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	
11.5.2.5 Object information	Not Applicable	
11.5.2.6 Row, column, and headers	Not Applicable	
11.5.2.7 Values	Not Applicable	
11.5.2.8 Label relationships	Not Applicable	
11.5.2.9 Parent-child relationships	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
11.5.2.10 Text	Not Applicable	
11.5.2.11 List of available actions	Not Applicable	
11.5.2.12 Execution of available actions	Not Applicable	
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	
11.5.2.14 Modification of focus and selection attributes	Not Applicable	
11.5.2.15 Change notification	Not Applicable	
11.5.2.16 Modifications of states and properties	Not Applicable	
11.5.2.17 Modifications of values and text	Not Applicable	
11.6 Documented accessibility usage	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.6.1 User control of accessibility features	Not Applicable	
11.6.2 No disruption of accessibility features	Not Applicable	
11.7 User preferences	Not Applicable	
11.8 Authoring tools	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.8.1 Content technology	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
11.8.2 Accessible content creation	See WCAG 2.2 section (If not authoring tool, enter “Not Applicable”)	See information in WCAG 2.2 section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	
11.8.4 Repair assistance	Not Applicable	
11.8.5 Templates	Not Applicable	

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and explanations
12.1 Product documentation	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.1.1 Accessibility and compatibility	Not Applicable	

Criteria	Conformance Level	Remarks and explanations
features		
12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not Applicable	
12.2.4 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section

Chapter 13: ICT Providing Relay or Emergency Service Access

Criteria	Conformance Level	Remarks and explanations
13.1 Relay services requirements	<i>Heading cell no response required</i>	<i>Heading cell no response required</i>
13.1.2 Text relay services	Not Applicable	
13.1.3 Sign relay services	Not Applicable	
13.1.4 Lip-reading relay services	Not Applicable	
13.1.5 Captioned telephony services	Not Applicable	
13.1.6 Speech to speech relay services	Not Applicable	
13.2 Access to relay services	Not Applicable	
13.3 Access to emergency services	Not Applicable	

Web accessibility

Disability is defined as: any activity limitation or participation restriction in society, experienced by a person as a result of a substantial, lasting or definitive alteration of one or more physical, sensory, mental, cognitive, or psychic functions, a multiple disability, or a disabling health condition.

Web accessibility consists of making online public communication services accessible to people with disabilities, and is based on four fundamental principles:

Perceivable: Information and user interface components must be presented to the user in such a way that they can perceive them. For example, providing textual equivalents for all non-textual content that can then be presented in other forms according to the user's needs: large characters, braille, speech synthesis, symbols or simplified language.

Operable: User interface and navigation components must be operable. For example, making all functionality available via keyboard.

Understandable: Information and the use of the user interface must be understandable. Textual content must be made readable and navigation must be consistent.

Robust: Content must be sufficiently robust to be reliably interpreted by a wide variety of user agents, including assistive technologies.

Test environments

Operating systems

- Apple Mac Os X (latest version)
- Microsoft Windows (latest version)
- Apple Ios (latest version)
- Google Android (latest version)

We have not used Linux as it is currently very uncommon among users with disabilities.

Browsers and user software

In the latest versions available on the different operating systems:

- Google Chrome
- Windows Edge
- Safari
- Adobe Acrobat Reader / Preview on Mac (for PDFs only)

Screen readers and assistive technologies

In order to achieve the most standard evaluation we test everything with assistive technologies default configuration.

In order to make the most realistic evaluation we also test:

- Graphic adaptations present on the different systems (colors, contrasts, subtitles, etc.)
- Mouse emulations, magnifiers and screen keyboards or keyboard improved settings always of the different systems
- Voiceover - Apple systems only
- Talkback - Android only
- NVDA (latest version) and Freedom scientific Jaws (second-to-latest version) - PC systems only

Methodology

Objective manual and semi-automatic verification methodology

We analyze content with different automatic and semiautomatic systems and compare the results between tools to obtain the most complete and objective verification. The reference standard, unless specifically requested, that we use is always the latest (WCAG 2.2) so that we can ensure compliance in all countries from which the touchpoint (site, app, etc.) can be accessed.

Our verification is therefore compliant with WCAG 2.2 level AA, and the requirements in UNI EN 301549 Guidelines or their declination in the French RGAAs. Each tool produces results that are then analyzed by our experts: it is, therefore, possible that not all tool results appear because they are judged to be false negatives.

Automated tools for syntax checking

- **W3C Markup Validation Service** : used with generated code, because it is the official tool for checking HTML, XHTML, MathHTML, etc.
- **W3C CSS Validation service** : although the correctness of the CSS does not affect accessibility, it could affect some aspects that still have an impact on it if not correctly interpreted because it is incorrect. The verification is therefore appropriate and done with W3C CSS Validation Service
- **PAC PDF checker**

Automatic and semi-automatic tools for color verification

- **Color Contrast Analyser (CCA)** : used punctually on dubious contrasts.
- **WCAG Color contrast checker** : used as the first check to verify the contrasts of the colors used in the CSS of the pages.
- **Text on background image a11y check** : used to check when text should overlap images.
- **Color contrast accessibility evaluator** : used as an additional control for some online pages.

Automatic and semi-automatic tools for checking accessibility

Some online validators used as samples on the pages:

- Accescan
- Wave

And other local tools:

- **Web developer toolbar**: Used to support manual verification. It allowed us to locate images without alt texts, fields without labels, etc.
- **AXE e Lighthouse for Chrome**: they have provided us with precise indications on the defects of the accessibility of the HTML code but also on WAI ARIA attributes, fundamental in the case of web applications and interactive components.

Terms

The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criterion.

Does Not Support: The majority of product functionality does not meet the criterion.

Not Applicable: The criterion is not relevant to the product.

Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.